



	(MHz)	(MHz)	typ						mm)	See Notes
<b>MAX2135A</b>	16 to 18 32 to 36	4.5	UHF=3.7 VHF=4.8 to 5.5	2.7 to 3.47	70	DVB-T ISDB-T (13 segments)	93 to 105, 173 to 227, 473 to 859	-95dBc/Hz phase noise @ 10kHz -99 to +10dBm dynamic range Diversity Receiver I2C command interface Integrated VHF/UHF tracking filters Shutdown and Standby Modes	7.0 x 7.0	\$4.94 @1k

[See All TV Tuners \(22\)](#)

#### Pricing Notes:

This pricing is BUDGETARY, for comparing similar parts. Prices are in U.S. dollars and subject to change. Quantity pricing may vary substantially and international prices may differ due to local duties, taxes, fees, and exchange rates. For volume-specific prices and delivery, please see the [price and availability](#) page or contact an authorized distributor.

## Technical Documents

Tutorial 5100 [General Layout Guidelines for RF and Mixed-Signal PCBs](#)

## Product Guides

[Wireless](#) (PDF)

## Reliability Reports

Reliability Report: [MAX2135A.pdf](#)  
Show FIT data for: MAX2135A

## Software/Models

[MAX2135A EVKIT Software](#)

## Ordering Information

Part Number	Free Sample	Buy	Status	Package: TYPE PINS FOOTPRINT DRAWING CODE/VAR *	Temp	RoHS/Lead-Free? Materials Analysis
MAX2135AE/W			Active: Data sheet on request only	WAFER UNSAWN;NA pin;WAFER; <a href="#">Package Details</a>	-40°C to +85°C	See data sheet
MAX2135AE/W+C76			Active: Data sheet on request only	WAFER UNSAWN;NA pin;WAFER; <a href="#">Package Details</a>	-40°C to +85°C	See data sheet
MAX2135AE/W-T			Active: Data sheet on request only	WAFER; <a href="#">Package Details</a>	-40°C to +85°C	See data sheet
MAX2135AETN+			Active: Data sheet on request only	TQFN;56 pin;49.1 mm <sup>2</sup> <a href="#">Package Details</a>	-40°C to +85°C	RoHS/Lead-Free: <a href="#">Lead Free</a> <a href="#">Materials Analysis</a>
MAX2135AETN+T			Active: Data sheet on request only	TQFN;56 pin;49.1 mm <sup>2</sup> <a href="#">Package Details</a>	-40°C to +85°C	RoHS/Lead-Free: <a href="#">Lead Free</a> <a href="#">Materials Analysis</a>
MAX2135AETN/V+			Active: Data sheet on request	TQFN;56 pin;49.1 mm <sup>2</sup>	-40°C to +85°C	RoHS/Lead-Free: <a href="#">Lead Free</a>

	only	Package Details		Materials Analysis
MAX2135AETN/V+CBN	Active: Data sheet on request only	TQFN;56 pin;49.1 mm <sup>2</sup> <a href="#">Package Details</a>	-40°C to +85°C	RoHS/Lead-Free: <a href="#">Lead Free Materials Analysis</a>
MAX2135AETN/V+T	Active: Data sheet on request only	TQFN;56 pin;49.1 mm <sup>2</sup> <a href="#">Package Details</a>	-40°C to +85°C	RoHS/Lead-Free: <a href="#">Lead Free Materials Analysis</a>
MAX2135AETN/V+TCBN	Active: Data sheet on request only	TQFN;56 pin;49.1 mm <sup>2</sup> <a href="#">Package Details</a>	-40°C to +85°C	RoHS/Lead-Free: <a href="#">Lead Free Materials Analysis</a>
MAX2135AEVKIT#	Active: Data sheet on request only	KIT; <a href="#">Package Details</a>		See data sheet

#### Notes:

- Other options and links for purchasing parts are listed at: <http://www.maximintegrated.com/sales>.
- Didn't Find What You Need?** Ask our applications engineers. Expert assistance in finding parts, usually within one business day.
- Part number suffixes: T or T&R = tape and reel; + = RoHS/lead-free; # = RoHS/lead-exempt; -D = drypack; -U/+U on DS parts = cut tape. More: See [Full Data Sheet](#) or [Maxim Product Naming Conventions](#).
- \* Some packages have variations, listed on the drawing. "PkgCode/Variation" tells which variation the product uses. Note that "+", "#", "-" in the part number suffix describes RoHS status. Package drawings may show a different suffix character.

## Similar Products by Function

[MAX2136](#) ISDB-T/DVB-T Low-IF Tuner  
See All [TV Tuners](#) (22Products)

## Similar Products by Application

Automotive: TV-Tuner Systems > [Tuner](#)  
Broadcast TV and Radio > [Mobile TV](#)  
Flat-Panel TVs > [Tuners](#)

### Your Comments

[Login](#) or [register](#) to post a comment.

## Didn't Find What You Need?

- [Next Day Product Selection Assistance from Applications Engineers](#)
- [Parametric Search](#)
- [Applications Help](#)

## Information Index

### Overview

[Description](#)  
[Key Features](#)  
[Applications/Uses](#)  
[Key Specifications](#)  
[Diagram](#)  
[Notes and Comments](#)

### Design Resources

[Data Sheet](#)  
[Technical Documents](#)  
[Evaluation Kits](#)  
[Reliability Reports](#)  
[Software/Models](#)

### Ordering Info

[Price and Availability](#)  
[Samples](#)  
[Buy Online](#)  
[Package Information](#)  
[Lead-Free Information](#)

### Related Products

[Similar Products by Function](#)  
[Similar Products by Application](#)  
[Evaluation Kits](#)  
[Products with Similar Part Numbers](#)  
[Products Used With This](#)

Document Ref.: 19-5103 Rev 5; 2012-01-17  
This page last modified: 2012-01-17